



INVITATION TO BID NO. 2024-008

The Zamboanga City Electric Cooperative, Inc. (ZAMCELCO) through its Bids and Awards Committee (BAC), invites all interested parties to participate in the Public Bidding for the following items:

I. LOT 1 PR-100001879 PROCUREMENT OF VARIOUS LINE MATERIALS AND LABOR FOR THE RELOCATION OF POLES AT CURUAN-SIBUCO DPWH ROAD WIDENING PROJECT REQUESTED BY THE TECHNICAL SERVICES DEPARTMENT

No.	Description	Unit	Required Quantity
1.	PROCUREMENT OF VARIOUS LINE MATERIALS FOR THE RELOCATION OF POLES AT CURUAN-SIBUCO DPWH ROAD WIDENING PROJECT REQUESTED BY THE TECHNICAL SERVICES DEPARTMENT	LOT	1

- **APPROVED BUDGET FOR THE CONTRACT** : PHP 11,221,988.37
- **SOURCE OF FUNDS** : GOVERNMENT FUND
- **COST OF BIDDING DOCUMENTS** : PHP 25,000.00
- **BIDDING STATUS** : 1ST BIDDING

II. LOT 2 PR-100001491 ONE (1) LOT PROCUREMENT OF LINE MATERIALS AND LABOR FOR IMPLEMENTATION OF LINE EXTENSION PROJECT.

No.	Description	Unit	Required Quantity
1	PROPOSED SECONDARY LINE EXTENSION ON PROPER ROAD RIGHT OF WAY AT GALVEZ DR., STA.MARIA	Lot	1
2	PROPOSED RE-ROUTING SINGLE PHASE PRIMARY LINE ON PROPER ROAD RIGHT OF WAY AT MONTESINO DR., STA. MARIA	Lot	1
3	PROPOSED RE-ROUTING AND PRIMARY SECONDARY LINE EXTENSION AT ZONE 4, TALABAAN	Lot	1
4	PROPOSED RE-ROUTING OF SINGLE PHASE PRIMARY LINE ON PROPER ROAD RIGHT OF WAY AT TIMAGA BY-PASS ROAD	LOT	1
5	PROPOSED SECONDARY LINE EXTENSION ON PROPER ROAD RIGHT OF WAY AT FELIPE DRIVE, LOWER CABATANGAN	LOT	1
6	PROPOSED SECONDARY LINE EXTENSION ON PROPER ROAD RIGHT OF WAY AT POSTE DRIVE, PASONANCA	LOT	1
7	PROPOSED RE-ROUTING OF SINGLE PHASE PRIMARY LINE ON PROPER ROAD RIGHT OF WAY AT ZONE 4, SALAAN	LOT	1

991-2117

0917-307-1412
0917-302-6629

management@zamcelco.com.ph
help_desk@zamcelco.com.ph

MCLL Highway, Putik





8	PROPOSED RE-ROUTING AND LINE EXTENSION OF SECONDARY LINE ON PROPER ROAD RIGHT OF WAY AT JOLLIROY, SATELITE DRIVE	LOT	1
9	PROPOSED RE-ROUTING OF SINGLE PHASE PRIMARY LINE ON PROPER ROAD RIGHT OF WAY AT FARMERS DRIVE, MAMPANG	LOT	1
10	PROPOSED PRIMARY-SECONDARY DISTRIBUTION LINE AT BANAHAW MARKET GOING TO CARMELITA HOAI	LOT	1
11	PROPOSED SECONDARY LINE EXTENSION AND RELOCATION OF MULTIPLE SAGGING SERVICE DROP LINES AT BANAAY COMPOUND, LUNZURAN	LOT	1
12	PROPOSED RE-ROUTING OF SECONDARY LINE ON PROPER ROAD RIGHT OF WAY AT SUN STREET, JOLLIROY DRIVE	LOT	1
13	PROPOSED PRIMARY LINE EXTENSION AT SHERWOOD VILLAGE ZAMBOWOOD	LOT	1
14	PROPOSED PRIMARY LINE EXTENSION AT ZONE 8, MARIKI, ZAMBOWOOD	LOT	1
15	PROPOSED SECONDARY LINE EXTENSION AT ZAMBOWOOD URBAN POOR ASSO. INC. (ZUPAI) ZONE 7C, ZAMBOWOOD	LOT	1

- APPROVED BUDGET FOR THE CONTRACT : PHP 4,640,514.70
- SOURCE OF FUNDS : GENERAL FUND
- COST OF BIDDING DOCUMENTS : PHP 5,000.00
- BIDDING STATUS : 2ND BIDDING

III. LOT 3 PR-100001592 PROCUREMENT OF ONE (1) LOT VARIOUS LINE MATERIALS REQUESTED BY THE NETWORK SERVICES DEPARTMENT

No.	Description	Unit	Required Quantity
1	ANCHOR, EXPANDING 8-WAYS, HOT DIP GALVANIZED	PC/S	65
2	Shackle, Anchor, 3/4", DROP FORGED STEEL, 69KV	PC/S	5
3	Bolt, Carriage 3/8" x 6", Hot Dip Galv.	Pc/s	67
4	Bolt, Double-Arming 5/8" x 18", Hot Dip Galv.	Pc/s	20
5	Bolt, Double-Arming, 5/8" x 20", Hot Dip Galv.	Pc/s	32
6	Bolt, Double-Arming, 5/8" x 22", Hot Dip Galv.	Pc/s	36
7	Bolt, Double-Arming, 5/8" x 24", Hot Dip Galv.	Pc/s	80
8	Bolt, Double-Upset, 5/8" x 9", Hot Dip Galv.	Pc/s	15
9	Bolt, Double-Upset, 5/8" x 12", Hot Dip Galv.	Pc/s	22
10	Bolt, Double-Upset, 5/8" x 14", Hot Dip Galv.	Pc/s	15
11	Bolt, Double-Upset, 5/8" x 16", Hot Dip Galv.	Pc/s	13
12	Bolt, Machine, 1/2" x 6", Hot Dip Galv.	Pc/s	372
13	Bolt, Machine, 1/2" x 8", Hot Dip Galv.	Pc/s	40
14	Bolt, Machine, 1/2" x 10", Hot Dip Galv.	Pc/s	23
15	Bolt, Machine, 5/8" x 4", Hot Dip Galv.	Pc/s	28
16	Bolt, Machine, 5/8" x 6", Hot Dip Galv.	Pc/s	58

991-2117

0917-307-1412
0917-302-6629

management@zamcelco.com.ph
help-desk@zamcelco.com.ph

MCLL Highway, Putik



17	Bolt, Machine, 5/8" x 8", Hot Dip Galv.	Pc/s	63
18	Bolt, Machine, 5/8" x 9", Hot Dip Galv.	Pc/s	125
19	Bolt, Machine, 5/8" x 10", Hot Dip Galv.	Pc/s	308
20	Bolt, Machine, 5/8" x 12", Hot Dip Galv.	Pc/s	210
21	Bolt, Machine, 5/8" x 14", Hot Dip Galv.	Pc/s	53
22	Bolt, Machine, 5/8" x 18", Hot Dip Galv.	Pc/s	75
23	Bolt, Oval Eye 5/8" x 10", Hot Dip Galv.	Pc/s	164
24	Bolt, Oval Eye, 5/8" x 12", Hot Dip Galv.	Pc/s	140
25	Bolt, Oval Eye, 5/8" x 14", Hot Dip Galv.	Pc/s	100
26	Bolt, Oval Eye, 5/8" x 16", Hot Dip Galv.	Pc/s	80
27	Bolt, Single Upset, 5/8" x 9", Hot Dip Galv.	Pc/s	37
28	Bolt, Single Upset, 5/8" x 12", Hot Dip Galv.	Pc/s	48
29	Bolt, Single Upset, 5/8" x 18", Hot Dip Galv.	Pc/s	5
30	Bolt, Thimble Eye, 5/8" x 9", Straight Type, Hot Dip Galv.	Pc/s	14
31	Bolt, Thimble Eye, 5/8" x 10", Hot Dip Galv.	Pc/s	10
32	Bolt, Thimble Eye, 5/8" x 12", Hot Dip Galv.	Pc/s	13
33	Bolt, Thimble Eye, 5/8" x 14", Hot Dip Galv.	Pc/s	13
34	Brace, Crossarm, 18 Drop 60 Span, Hot Dip Galv.	Pc/s	68
35	Brace, Crossarm, Flat, 28", Hot Dip Galv.	Pc/s	65
36	Brace, Crossarm, Diagonal, 7', Steel, Hot Dip Galv.	Pc/s	68
37	Brace, Sidearm, Steel, 60'	Pc/s	88
38	Bracket, Secondary Without Spool	Pc/s	170
39	Bracket, Mounting For Fuse Cut-out & Arrester	Pc/s	185
40	Clamp, Anchor Bonding, Single Eye Rod, 5/8"	Pc/s	65
41	Clamp, Dead-end Strain, #2 ACSR	Pc/s	58
42	Clamp, Dead-end Strain, #4/0 ACSR	Pc/s	50
43	Clamp, Guy, Straight, 3-Bolt, Heavy Duty Steel, Hot Dip Galv.	Pc/s	150
44	Clamp, Hotline, #2 - 4/0 ACSR	Pc/s	255
45	Clamp, Loop Dead-End, #2 ACSR	Pc/s	60
46	Clamp, Loop Dead-End, #2/0 ACSR	Pc/s	138
47	Clamp, Loop Dead-End, #1/0 ACSR	Pc/s	95
48	Clamp, Pole Mounting Adapter 5-6, Hot Dip Galv. Single-Support	Pc/s	60
49	Clamp, Pole Mounting Adapter, 6-7, Hot Dip Galv. Single Support	Pc/s	60
50	Clamp, Pole Mounting Adapter, 7-8, Hot Dip Galv., Single Support	Pc/s	45
51	Clamp, Pole Mounting Adapter, 8-9, Hot Dip Galv., Single Support	Pc/s	38
52	Clamp, Pole Mounting Adapter, 9-10, Hot Dip Galv.	Pc/s	30
53	Clamp, Pole Mounting Adapter, 10-11, Hot Dip Galv., Single Support	Pc/s	30
54	Clamp, Pole Mounting Adapter, 11-12, Hot Dip Galv., Single Support	Set/s	20
55	Clamp, Pole Mounting Adapter, 10-11, Hot Dip Galv., Double-Support	Set/s	5
56	Clamp, Pole Mounting Adapter, 12-13, Hot Dip Galv., Double-Support	Set/s	5
57	Clamp, Suspension, #4 - #4/0 ACSR	Pc/s	5
58	Clevis, Secondary, Swinging w/o Spool, Hot Dip Galv.	Pc/s	375
59	Connector, Compression, #6 - #4 ACSR Run to #6-#4	Pc/s	1,500
60	Connector, Compression, YHO 150, #3 - #1/0 - Tap #6 - #2	Pc/s	2,345
61	Connector, Compression, YHD 200, #1/0 - #2/0 - Tap #6-#2	Pc/s	700
62	Connector, Compression, YHD 250, #1/0 - Tap #6 - #2	Pc/s	925
63	Connector, Compression, YHD 300, #1/0 - #2/0 - Tap #1/0 - #2/0	Pc/s	500
64	Connector, Compression, YHD 350, #3/0 - #4/0 - Tap #1 - #2/0	Pc/s	805

991 2117

0917-307-1412
0917-502-6629

management@zamcelco.com.ph
help-desk@zamcelco.com.ph

MCLL Highway, Putik



THE NEW ZAMCELCO

Zamboanga City Electric Cooperative, Inc.

65	Connector, Compression, YHD 400, #2/0 - #4/0 - Tap #2/0 - #4/0	Pc/s	610
66	Connector, Wedge Type, #4/0 - #4/0 ACSR	Pc/s	95
67	Crossarm, Steel, 3" x 4" x 8', 3mm, Hot Dip Galv.	Pc/s	110
68	Crossarm, Steel, 3" x 4" x 10', 3mm, Hot Dip Galv.	Pc/s	75
69	Fuse, Cut-out and Arrester Combination, 15KV, Class 100	Set/s	100
70	Fuse, Cut-out and Arrester Combination, 15KV, Class 200	Set/s	85
71	Insulator, Pin-Type, HDPE, ANSI, Class 55-4, 15kV	Pc/s	255
72	Insulator, Spool, 1-3/4", ANSI, Class 53-2	Pc/s	700
73	Insulator, Spool, 3", ANSI, Class 53-4	Pc/s	180
74	Insulator, Suspension, 4 Shed, Polymer, 15kV	Pc/s	165
75	Fuse, Link, Universal, Bottom Head, Type K, 10A	Pc/s	180
76	Fuse, Link, Universal, Bottom Head, Type K, 12 A	Pc/s	180
77	Fuse, Link, Universal, Bottom Head, Type K, 15A	Pc/s	180
78	Fuse, Link, Universal, Bottom Head, Type K, 20A	Pc/s	180
79	Fuse, Link, Universal, Bottom Head, Type K, 25A	Pc/s	180
80	Fuse, Link, Universal, Bottom Head, Type K, 30 A	Pc/s	180
81	Fuse, Link, Universal, Bottom Head, Type K, 35 A	Pc/s	180
82	Fuse, Link, Universal, Bottom Head, Type K, 3 A	Pc/s	180
83	Fuse, Link, Universal, Bottom Head, Type K, 40A	Pc/s	180
84	Fuse, Link, Universal, Bottom Head, Type K, 45 A	Pc/s	180
85	Fuse, Link, Universal, Bottom Head, Type K, 4 A	Pc/s	180
87	Fuse, Link, Universal, Bottom Head, Type K, 50A	Pc/s	180
88	Fuse, Link, Universal, Bottom Head, Type K, 5 A	Pc/s	180
89	Fuse, Link, Universal, Bottom Head, Type K, 60A	Pc/s	180
90	Fuse, Link, Universal, Bottom Head, Type K, 65	Pc/s	180
91	Fuse, Link, Universal, Bottom Head, Type K, 6A	Pc/s	180
92	Fuse, Link, Universal, Bottom Head, Type K, 75A	Pc/s	180
93	Fuse, Link, Universal, Bottom Head, Type K, 7A	Pc/s	180
94	Fuse, Link, Universal, Bottom Head, Type K, 80A	Pc/s	180
95	Fuse, Link, Universal, Bottom Head, Type K, 8A	Pc/s	180
96	Nut, Thimble Eye, 5/8" Single Eye, Hot Dip Galv.	Pc/s	30
97	Pin, Crossarm, Clamp Type, 1" Thread Dia. Hot Dip Galvanized	Pc/s	30
98	Pin, Crossarm, Long Shank, 1" Thread Dia. Hot Dip Galvanized, Forged	Pc/s	20
99	Pin, Crossarm, Long Shank, 1" Thread Dia. Nylon Thread, 7-7/8" x 5/8" Shank, Hot Dip Galvanized	Pc/s	40
100	Pin, Crossarm, Steel, 5/8" x 10-3/4", Hot Dip Galv.	Pc/s	305
101	Rod, Anchor, Threaded, 5/8" x 8', Hot Dip Galv., Single Eye	Pc/s	65
102	Rod, Tapping, Performed, #2 ACSR	Set/s	25
103	Washer, Square, Flat, 2-1/4" x 2-1/4" x 3/16"	Pc/s	1,050
104	Wire, Grounding #4 AWG, 3 Strand, Aluminum Alloy	Ft	7,550
105	Wire, Grounding, 3 Strand, 5/16 Dia. Galv.	Ft	7,500
106	Wire, Guy, Steel, 3/8", 7 Strand, High Strength	Ft	5,100
107	Wire, Tie Aluminum Alloy #4 Soft	Ft	1,950
108	Tape, Electrical, Big, 16M	Pc/s	200

- **APPROVED BUDGET FOR THE CONTRACT** : PHP 5,706,591.00
- **SOURCE OF FUNDS** : GENERAL FUND
- **COST OF BIDDING DOCUMENTS** : PHP 10,000.00
- **BIDDING STATUS** : 2ND BIDDING

991-2117

0917-307-1412
0917-302-6629

management@zamcelco.com.ph
help_desk@zamcelco.com.ph

MCLL Highway, Putik



The schedule of the bidding activities will be as follows:

BAC ACTIVITIES	SCHEDULED DATE
Publication of Invitation to Bid	August 30, 2024 (Friday)
Availability of Bidding Documents	August 30, 2024 (Friday) to September 18, 2024 (Wednesday)
Pre-Bid Conference	September 06, 2024 (Friday); 9:00 AM
Deadline of Submission and Receipt of Bids/ Opening of Bid	September 18, 2024 (Wednesday); 9:00 AM
Issuance of Purchase Order	Upon Posting of the Performance Bond by the Winning Bidder

- Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184 otherwise known as the "Government Procurement Reform Act" and the NEA Memorandum No. 2017-019 on the Revised Procurement Guidelines and Simplified Bidding Procedures for Electric Cooperatives. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- Interested bidders may obtain further information from the ZAMCELCO BAC Secretariat Office and inspect the Bidding Documents at the address given below from 8:00AM to 5:00PM.
- A complete set of Bidding Documents may be acquired by interested Bidders on August 30, 2024 (Friday) to September 18, 2024 (Wednesday) from the address given below or sent through electronic email upon payment of the applicable fee to be deposited at ZAMCELCO's Bank of Commerce Account No. 029-00-001214-7 and presentation of the deposit slip to the BAC Secretariat.
- The ZAMCELCO will hold a Pre-Bid Conference on September 06, 2024 (Friday) 09:00 AM via Online Video Conference or Face to Face. Attendance of bidders in the pre-bid conference is optional except when specifically stated in the Invitation to Bid. Only those who have purchased the Bidding Documents shall be allowed to participate in the pre-bid conference and raise or submit written queries or clarifications.
- Bids must be duly received by the BAC Secretariat through manual submission of two (2) hard copies of their sealed bid at the office address as indicated below on or before the deadline of receipt of bids on the bid opening date. Soft copy of their bids must also be received a day before the bid opening date but the password to be furnished on the bid opening.
- All Bids shall be opened online and read in the presence of Bidders or their duly authorized representatives. Bidders shall be required to put up a Bid Security in the amount equivalent to 2% of the ABC. The Bid Security shall be in the form of cash or manager's check and submitted together with their Bids.
- Only those bidders who have bought the bidding documents shall be allowed to participate in the Submission and Opening of Bids.

091-2117

0917-307-1412
0917-302-6629

management@zamcelco.com.ph
help_desk@zamcelco.com.ph

MCLL Highway, Putik



8. ZAMCELCO reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to the awarding of contract, thereby without incurring any liability to the affected bidder or bidders.
9. For further information, please refer to:

ZAMBOANGA CITY ELECTRIC COOPERATIVE, INC.
MCLL Highway, Brgy. Putik, Zamboanga City
SECRETARIAT
Contact No.: +63917-166-8962
Tel. No.: (062) 991-2117 Local 8640
Email Address: zbac@zamcelco.com.ph




BEVERLY LOU ZAMORANO
BAC Secretariat Head

(SGD) ATTY. ROMMEL S. AGAN
Chief Management Officer


ENGR. JOHN REX A. PALAD
Chairman, BAC

(SGD) ENGR. GANNYMEDE B. TIU
General Manager

991-2117 

0917-307-1412 
0917-302-6629 

management@zamcelco.com.ph 
help-desk@zamcelco.com.ph 

MCLL Highway, Putik, Zamboanga City 